



# SPAY/NEUTER SURGERY CHECK-IN FORM

## PATIENT INFORMATION

Patient Name: \_\_\_\_\_

DOG CAT  MALE FEMALE

Age: \_\_\_\_\_ Color: \_\_\_\_\_

Breed: \_\_\_\_\_

Zip Code: \_\_\_\_\_

Staff Confirmed: \_\_\_\_\_

## OWNER INFORMATION

Owner Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_

Email: \_\_\_\_\_

Driver's License #: \_\_\_\_\_

Home Phone: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Alt. Pick-up Person Name: \_\_\_\_\_

Alt. Pick-up Person Phone #: \_\_\_\_\_

**\*\* Please fill out all above information! If we cannot reach you for questions or concerns, the vet may elect to not perform the surgery. \*\***

What time did your pet last eat? \_\_\_\_\_ AM \_\_\_\_\_ PM Has your pet vomited or had diarrhea in the past 24 hours?  YES  NO

Does your pet have any pre-existing medical problems?  YES  NO If yes, please explain: \_\_\_\_\_

Does your pet take any medications?  YES  NO If yes, please list medications: \_\_\_\_\_

## SPAY/NEUTER ADMISSION MEDICAL CONSENT FORM

- \_\_\_\_\_ I understand that I have given consent for the veterinarians and directly supervised veterinary externs of the SAHS to perform the scheduled surgical procedure.
- \_\_\_\_\_ I understand that all reasonable care and precautions will be taken in performance of the procedures. I understand that with any medical procedure, there are inherent risks involved and I accept responsibility for those risks.
- \_\_\_\_\_ I understand that SAHS is not able to perform a complete physical work-up before surgery is performed. Thus, I will not hold the staff of SAHS responsible for any unknown, undiscovered medical problems.
- \_\_\_\_\_ I understand that my pet may be exposed to infectious diseases and has an increased risk of developing disease if I have not had my pet properly vaccinated.
- \_\_\_\_\_ I understand that my pet will be vaccinated for rabies as per Texas Health and Safety Code Sec. 826.021 if no proof of rabies vaccination is provided prior to surgery. This vaccine will be at an additional cost to surgery.
- \_\_\_\_\_ I understand that if my animal has fleas, it will be administered Capstar (a fast-acting flea medication that kills fleas within 30 minutes of administration) at my expense.
- \_\_\_\_\_ I understand that if my male pet has long hair, the underside of the tail will be shaved to help prevent complications.
- \_\_\_\_\_ I understand that procedures requiring additional surgical time will require additional fees (pregnant, cryptorchid, pyometra, unattached dew-claw removal). These fees apply to all clients, including recipients of free or reduced-cost surgeries.
- \_\_\_\_\_ I understand that if my animal is pregnant, the pregnancy will be terminated at the time of surgery. I understand that there will be additional fees for this procedure. These fees apply to all clients, including recipients of free or reduced-cost surgeries.
- \_\_\_\_\_ I understand that the SAHS staff reserves the right to refuse service if they feel my pet is not of sound medical health and should not undergo anesthesia and/or surgery.
- \_\_\_\_\_ I understand that the SAHS recommends e-collars and exercise restriction for all surgical procedures (except ferals).
- \_\_\_\_\_ I authorize the doctors and staff to perform any lifesaving procedure deemed necessary in the event of an emergency. I further understand that the success of any lifesaving procedure is not guaranteed.
- \_\_\_\_\_ I understand that my pet will have a green tattoo mark placed on the surface of their skin to designate that he/she has been spayed/neutered. I understand that any cat designated as a feral cat will also have their ear "tipped".
- \_\_\_\_\_ I understand that the SAHS will not refund any veterinary clinic or emergency vet clinic visits after my pet's surgery.
- \_\_\_\_\_ I understand that prices are subject to change based on the price of goods and services.
- \_\_\_\_\_ I hereby release the SAHS and its employees and volunteers from all claims arising out of or connected with the performance of this procedure. I agree that I have not and will not claim any right of compensation from them, or file action due to such sterilization or any consequences related thereto. I certify that I have read and understand this document and assume full financial responsibility for all charges related to the above procedures.
- \_\_\_\_\_ **I understand that if I cannot comply with the post-operative instructions, surgery should not be performed.**
- \_\_\_\_\_ **I understand that any pets dropped off late (after 8:30 am) or picked up late (after 5 pm) will incur a Late Pick-Up Fee. Failure to pick up your pet the day of surgery will also result in a fine.**

\_\_\_\_\_  
Signature of Owner or Owner's Agent

\_\_\_\_\_  
Today's Date

Patient Name: \_\_\_\_\_

Certificate Code: \_\_\_\_\_

## Other Services/Products

### Surgery (Please Confirm)

- Neuter** (for males)       **Spay** (for females)
- Inguinal Crypt**    **Gravid**    **Scrotal Ablation**
- Abdominal Crypt**    **Pyometra**

### Capstar (24 hr flea medicine) \*required if pet has fleas\*

- Yes \$6.00**       **No**

### Microchip \*highly recommended\*

- Yes \$36.50**       **No**

### Nail Trim

- Yes \$18.50**       **No**

## Staff Use Only:

Animal ID: \_\_\_\_\_

Actual Weight: \_\_\_\_\_

Dog

Cat

- A: \_\_\_\_\_     H/B: \_\_\_\_\_       TTDEX: \_\_\_\_\_     M: \_\_\_\_\_
- T: \_\_\_\_\_     C: \_\_\_\_\_       B: \_\_\_\_\_       A: \_\_\_\_\_

### Rabies Vaccine \*required if no proof of vaccine\*

- Needs today \$14.00**       **Too Young (under 12 weeks)**
- Current/Verified**      **Staff Initials** \_\_\_\_\_

### Comfort

- Comfort Package** (e-collar + pain medication) \$19.00
- E-collar only \$14.00**       **Pain Medication only \$14.00**
- Trazodone (calming med) \$0.32/pill**    **Total # Pills:** \_\_\_\_\_

## Dog Services

### Wellness Packages

- Puppy Pkg:** DAPP + nail trim + dewormer + sample \$48.00  
heartworm prevention + sample flea prevention (while supplies last)
- Puppy Booster Pkg:** DAPP + nail trim + dewormer \$45.00  
(must have had 1st vaccine at a SAHS Wellness Clinic; 1x only)
- Basic Annual Dog Pkg:** DAPP + Rabies \$38.00
- Doggone Best Pkg:** DAPP + Rabies + Bordatella + HW test \$79.00

### Additional Dog Services/Packages

- Heartworm 4DX Test** (heartworms/3 tick-borne diseases) \$47.00
- Heartworm Test** \$27.00
- DAPP** (distemper, hepatitis, flu, and parvo) \$28.00
- Bordatella** (prevents kennel cough) \$17.00
- Unattached Dewclaw Removal** \$31.00
- Umbilical Hernia Repair**

### Nexgard (oral medication for adult fleas and ticks)

- 4-10 lbs: \$20     10.1-24 lbs: \$21     24.1-60 lbs: \$22     60.1-121 lbs: \$23

**\*\*All heartworm prevention requires a yearly heartworm test\*\***

### Heartgard Plus (oral medication for heartworms)

- 0-25 lbs: \$7.00     26-50 lbs: \$8.50     51-100 lbs: \$10.50

### Simparica Trio (all-in-one monthly oral chewable for heartworms & fleas)

- 2-5 lbs: \$23.00     5-11 lbs: \$24.00     11-22 lbs: \$25.00
- 22-44 lbs: \$25.50     44-88 lbs: \$26.00     88-132 lbs: \$27.00

## Cat Services

### Wellness Packages

- Kitten Pkg:** FVRCP + nail trim + dewormer + sample \$48.00  
heartworm prevention + sample flea prevention (while supplies last)
- Kitten Booster Pkg:** FVRCP + nail trim + dewormer \$42.00
- Basic Annual Cat Pkg:** FVRCP + Rabies \$37.50

### Additional Cat Services/Packages

- FVRCP** (prevents common respiratory disease) \$24.00
- FeLV/FIV combo test** (FIV and Feline Leukemia test) \$39.00
- PHONE # TO CALL IF POSITIVE:** \_\_\_\_\_

### Revolution (topical medicine for fleas and heartworms)

- <5 lbs: \$15.00     5.6-11 lbs: \$17.00     11.1-22 lbs: \$17.50

### CAT: Dewormer

- Pyrantel** (roundworms/hookworms)     <6 mos: \$6.00     >6 mos: \$12.00

- Biwormer** (roundworms/hookworms/tapeworms)     \$15.00

### DOG: Dewormer

- Pyrantel** (roundworms/hookworms)     <6 mos: \$6.00     >6 mos: \$12.00

- Triwormer** (roundworm/hookworm/tapeworm/whipworm)     \$10.00/tab

- Cerenia Injection** (per cc)(required if adult pet ate before surgery) \$31.00

## For Staff Use:

- HR: \_\_\_\_\_     RR: \_\_\_\_\_     CRT: \_\_\_\_\_     MM: \_\_\_\_\_

Auscultation of Heart/Lungs     Normal     Abnormal

Dog: Torb/Ace/Telazol/Carprofen     Yes     Alternative

Cat: Telazol/Torb/Dex/Metacam     Yes     Alternative

Alternate Drug Protocol: \_\_\_\_\_

### Veterinary Surgeon

- Dr. Hawkins     Dr. Hopes     Dr. Preczewski     Extern:

HW Test Results:    **Positive**    **Negative**

HW 4DX Results:    **HW**    **Lym**    **Erh**    **Ana**    **Negative**

FeLV:    **Positive**    **Negative**    FIV:    **Positive**    **Negative**

## Notes:

- Routine Spay     In Heat     Pyometra     Gravid     Postpartum

Approximate gestation/# of feti:

Other:

- Routine Neuter       Scrotal Ablation

- Abdominal Crypt     Inguinal Crypt     L     R     Both

- Evidence of previous spay/neuter (describe):** \_\_\_\_\_

### Extra Procedures

- Sedation/Anesthesia     Umbilical Hernia     Staples/sutures

- Dewclaw Removal     Wound Clip and Clean     Euthanasia

## Vax Stickers:



# SPAY/NEUTER DISCHARGE INSTRUCTIONS

**\*\*Please read, initial, and sign\*\***

IT IS **CRITICAL** THAT YOU FOLLOW THESE INSTRUCTIONS TO AVOID SERIOUS AND COSTLY POST-SURGICAL COMPLICATIONS.

**DO NOT SCHEDULE SURGERY IF YOU ARE UNABLE TO COMPLY WITH THESE INSTRUCTIONS!**

THE SAHS STRONGLY RECOMMENDS ESTABLISHING A REGULAR RELATIONSHIP WITH A **FULL-SERVICE VETERINARY HOSPITAL** TO MEET YOUR PET'S ONGOING HEALTH CARE AND DISEASE PREVENTION NEEDS.

## POST-OP INSTRUCTIONS

### INCISION SITE CARE:

- Your pet has undergone a major surgery. The incision site has been closed and a **silver aerosol bandage** has been applied over the incision site. **Green tattoo ink** has been applied to the skin to identify that your pet has been spayed/neutered.
- We perform **scrotal neuters**. It is normal to see a slight opening of the incision and some tinged fluid post-operatively.
- Please keep the incision site clean, dry (no baths!), and unbandaged until healed.

### E-COLLARS: Recommended for all surgical procedures!

- **REQUIRED** for all pets with **external sutures/staples** and **all dogs over 25 pounds**. Please use a regular collar to secure the cone once you have returned home. E-collars should fit snug around the neck (so you can only place two fingers underneath) and extend several inches past the nose.

### STRICT REST: Recommended after all surgical procedures (except ferals)!

- **DOGS:** We recommend dogs be confined to a kennel until the incision has healed. Dogs should be walked on a leash to use the restroom and not be allowed to run, jump, or play. **DO NOT** bathe your dog for 14 days post-surgery.
- **CATS:** Anesthesia may wear off slowly, so your pet may appear drowsy this evening, but they will become progressively more active and alert with time. Cats may sleep and wake up several times throughout the night and are often clumsy. Cats may hallucinate as anesthesia wears off and sounds, light, and touching may frighten them. They may growl or claw at invisible objects for up to 24 hours. Keep cats confined in their carriers this evening and make sure they are in a quiet place and avoid stress and stairs when possible. Some cats do best in quiet, dark places such as a bathroom (with the toilet lid down).

### APPETITE/RESTROOM HABITS

- Your pet might not be interested in food tonight. Expect your pet to have an initial decrease in appetite which should return gradually within **24-48 hours following surgery**. Some pets experience residual nausea following anesthesia. Offer small amounts of water immediately after returning home, and then small amounts of food later in the day or the next morning. This also means a decrease in urine and bowel production for several days.
- One episode of vomiting or diarrhea can be normal after anesthesia. **Multiple episodes of vomit/diarrhea with or without blood are NOT normal and usually NOT caused by the anesthesia.** We recommend you see your **regular veterinarian or an emergency clinic** (if after hours) for any severe episodes of vomiting and/or diarrhea. **The SAHS cannot treat these issues.**

### FERTILITY POST-OP

- Newly **neutered males** may remain marginally fertile and may breed for 3-4 weeks after surgery, so please keep them confined.
- **Female pets** that have surgery while in heat are especially delicate and must be kept separate from males (both neutered and unneutered) for 5 days after surgery. Some of these animals will continue to breed, potentially damaging their incision.

## RE-CHECK INFO

Email concerns/photos to **medical@SAhumane.org**. If you are told to come in, recheck hours at our Leeu Naylor Medical Building are **Monday-Friday between 9am-1pm and Saturday between 8-11am**.

**Please note this email is only being monitored during routine business hours.**  
**Seek emergency care for your pet if you are concerned and it is outside of routine business hours.**

# MEDICATIONS

## TRAZODONE (anti-anxiety and mild sedative medication used in highly energetic dogs in postoperative period):

- Your pet has been prescribed Trazodone to help reduce their anxiety following their surgery. This medication is generally well-tolerated in dogs but some dogs can experience side effects including: aggressive food searching, sedation, nausea, and diarrhea. Please discontinue the medication and contact the SAHS or seek veterinary care if these signs develop. If your pet continues to be hyperactive with the medication, please contact the SAHS ([medical@SAhumane.org](mailto:medical@SAhumane.org)) as the dose may need to be adjusted.
- Please administer according to the label instructions.

## CARPROFEN (dogs only):

- An additional 3 days of pain control is recommended. This is a member of the class of drugs known as NSAIDs (non-steroidal anti-inflammatory drugs). Your dog has already been administered a 24-hour dose of this medication pre-operatively and does not need another dose until tomorrow morning. The most common side effects to watch for are stomach upset: vomiting, diarrhea, and/or appetite loss. This medication is to be given preferably with food. (*Note: Small dogs may be prescribed a once daily dosage or meloxicam instead*)
- Dose: 2.2mg/kg dose every 12 hours to start the morning following surgery has been prescribed. Administer according to instructions on the label(s). Note that you may be instructed to administer tablets from multiple bottles to achieve the total dose.

## ANTIBIOTICS

- If your pet has been administered an injectable antibiotic, the specific dose and type will appear on the following page. If your pet has been prescribed oral antibiotics, follow all dosing instructions on the label. Antibiotics are generally well-tolerated, but most common side effects include GI upset: vomiting, diarrhea, loss of appetite. We recommend giving this medication with food to reduce chance of side effects.

## CAT-SPECIFIC MEDICATIONS

- Cats receive a 24-hour injectable dose of an anti-inflammatory (Meloxicam) immediately following surgery.
- An additional pain medication (Buprenorphine SR) is also recommended for all cats undergoing surgery at an additional cost. This medication is an injectable opioid given immediately following surgery that lasts for approximately 72 hours.

## EXTERNAL SKIN SUTURES

- Your pet may have received external skin sutures or staples if surgery required a larger incision or if there are concerns about your pet's post-operative activity level (too active).
- If your pet received staples or external skin sutures, please return in 10-14 days for staple/suture removal.
- If your pet had a drain placed during surgery (scrotal ablation), please return in 3 days for recheck and drain removal.

**I hereby acknowledge that I have read and understand these post-operative instructions. I agree that any lack of adherence to these can result in complications and I hereby assume financial responsibility. I acknowledge that additional pain medication, e-collar, and strict rest have been recommended and failure to comply may put my pet at risk. Failure to follow these instructions may result in a recheck exam fee, additional procedures, and additional medications.**

---

Signature of Owner or Owner's Agent

---

Today's Date



# POST-OPERATIVE CONCERNS?

If you have any post-operative concerns, email our Medical Front Desk ([medical@SAhumane.org](mailto:medical@SAhumane.org))

*Please include a clear photo of your pet's incision and answers to the following questions:*

- *When did your pet have surgery?*
- *Has your pet been wearing an e-collar?*
- *Has your pet been allowed to lick at the incision?*
- *Has your pet been allowed to exercise since surgery?*
- *Has your pet been eating/drinking/urinating/defecating normally?*
- *Have you noticed any discharge/bruising/swelling/bleeding from the incision?*
- *Have you noticed that the incision is open?*

Our medical front desk staff will send a reply as soon as possible.

***Please note that this email is only monitored during regular business hours!  
If there is an emergency, please seek veterinary care immediately.***

If medical front desk staff is unable to answer your email, they will forward it to a staff veterinarian who will contact you.

If the veterinarian recommends you return for a recheck, please go to the directed facility (not necessarily where your pet had their surgery). An appointment is not required for rechecks.

## **SAHS Leeu Naylor Medical Building**

4804 Fredericksburg Rd.  
San Antonio, TX 78229

## **Recheck Hours**

9 am - 1 pm Monday-Friday  
8 am - 11 am Saturdays  
(expect wait due to Wellness Clinics)