

## **SPAY/NEUTER SURGERY CHECK-IN FORM**

#### **PATIENT INFORMATION**

#### **OWNER INFORMATION**

Patient Name	Owner Name
DOG CAT MALE FEMALE	Street Address
Age Color	City
Breed	Email Address
Zip Code	Home Phone #
Staff Confirmed	Cell Phone #
Has your pet had surgery before?  NO If yes, please explain:	ALTERNATE PICK-UP INFORMATION  Alternate Pick-Up Person Name
	Allemate rick-op reison rame
What time did your pet last eat?  AM PM	Alternate Pick-Up Person Phone #
Has your pet vomited or had diarrhea in the past 24 hours?  YES NO  Does your pet have any medical problems?	** PLEASE FILL OUT ALL OF THE INFORMATION ABOVE! **  IF WE CANNOT REACH YOU FOR QUESTIONS  OR CONCERNS, THE VET MAY ELECT TO  NOT PERFORM THE SURGERY.
YES NO If yes, please explain:	STAFF USE ONLY
Does your pet take any medications?  YES NO If yes, please list:	
Is your pet pregnant or could possibly be pregnant?  YES NO	

## SPAY/NEUTER ADMISSION MEDICAL CONSENT FORM

## PLEASE READ, INITIAL EACH LINE, AND SIGN

Signatu	re of Owner or Owner's Agent	
	I understand that if my pet experiences nausea or vomiting during an anti-nausea injection, and I will be responsible for this additional	
	I understand that any pets dropped off late (after 8:30 am) or picket Failure to pick up your pet the day of surgery will also result in a fee	е.
	I understand that if I cannot comply with the post-operative instruct	
		from the SAHS and its employees and volunteers, or file action due to I have read and understand this document and assume full financial
	I hereby release the SAHS and its employees and volunteers from a this procedure.	Ill claims arising out of or connected with the performance of
	I understand that prices are subject to change based on the price of	goods and services.
	I understand that the SAHS will not refund any veterinary clinic or e	emergency vet clinic visits after my pet's surgery.
	I understand that any cat designated as a feral cat will also have th	eir ear "tipped".
	I understand that my pet will have a green tattoo mark placed on the spayed/neutered.	ne surface of their skin to designate that he/she has been
	I authorize the doctors and staff to perform any lifesaving procedure that the success of any lifesaving procedure is not guaranteed.	re deemed necessary in the event of an emergency. I further understand
	I understand that the SAHS recommends e-collars and exercise rest	riction for all surgical procedures (except ferals).
		refuse any service and/or procedure to any animal for any reason. In- alth risk. Such refusal is at the sole discretion of the attending veterinarian.
	I understand that if my animal is pregnant, the pregnancy will be te fees for this procedure. These fees apply to all clients, including reci	rminated at the time of surgery. I understand that there will be additional pients of free or reduced-cost surgeries.
		incur additional fees (pregnant, cryptorchid, pyometra, obesity, previous ply to all clients, including recipients of free or reduced-cost surgeries.
	I understand that if my male dog has long hair, the underside of the	tail will be shaved to help prevent complications.
	I understand that if my animal has fleas, it will be administered Capadministration) at my expense.	star (a fast-acting flea medication that kills fleas within 30 minutes of
	I understand that my pet will be vaccinated for rabies as per Texas provided prior to surgery. This vaccine will be at an additional cost	Health and Safety Code Sec. 826.021 if no proof of rabies vaccination is to surgery.
		tions and that no vaccination is always 100% protective. I waive all claims ery including, but not limited to kennel cough or other upper respiratory
	sole discretion, when such an exam may only be performed after the	mal when possible, but that there are times, in the attending veterinarian's ne animal has already been anesthetized. I understand that the animal will n such blood work, I understand that it must be performed at a full-service
	may conceivably result, for there is some inherent risk in the proced	ds, and that injury to, post-operative infection in, or death of, the animal ure and in the use of anesthetics and drugs provided for the procedure, as sia will be administered to the animal for surgery. I understand and accept
	I understand that I have given consent for the veterinarians and directly surgical procedure.	ectly supervised veterinary externs of the SAHS to perform the scheduled

Patient Name:	Shaff Han Only		
Certificate Code:	Staff Use Only:  Animal ID: Actual Weight:		
Other Services/Products			
Surgery (Please Confirm)	Dog	Cat	
☐ <b>Neuter</b> (for males) ☐ <b>Spay</b> (for females)	☐ A: ☐ H/B:	☐ TTDEX: ☐ M:	
☐ Inguinal Crypt ☐ Gravid ☐ Scrotal Ablation	☐ T: ☐ C:	☐ B: ☐ A:	
☐ Abdominal Crypt ☐ Pyometra ☐ Obese			
Microchip *highly recommended*  Nail Trim	Comfort		
☐ Yes \$39.50 ☐ No ☐ Yes \$20.00 ☐ No	☐ Canine Comfort Package (e-colla	ar + pain medication) \$21.40 plus tax	
Rescue Placement \$2.00	☐ Canine Pain Medication only \$15.20 ☐ Feline Comfort Package (e-collar + pain medication) \$21.95 plus tax		
	☐ Feline Comfort Package (e-collar ☐ Feline Pain Medication only \$15.	·	
Rabies Vaccine *required if no proof of vaccine*	☐ E-collar only \$15.20 ☐ Decline Comfort Package		
□ Needs today \$15.20 □ Too Young (under 12 weeks)	-	☐ Trazodone (calming med) \$0.35/pill ☐ Decline Trazodone	
Current/Verified Staff Initials			
All puppy & kitten packages are for pets 6 months old and u	<u>ınder!</u>		
Dog Services	Cat Services		
Wellness Packages	Wellness Packages		
Puppy Pkg: DAPP + nail trim + dewormer + sample <u>\$52.25</u> heartworm prevention + sample flea prevention (while supplies last)	Kitten Pkg: FVRCP + nail trim + dewormer + sample \$52.00		
Puppy Booster Pkg: DAPP + nail trim + dewormer \$49.25	heartworm prevention + sample flea prevention (while supplies last)  Kitten Booster Pkg: FVRCP + nail trim + dewormer \$46.00		
(must have had 1st vaccine at a SAHS Wellness Clinic; 1x only)  Basic Annual Dog Pkg: DAPP + Rabies \$41.45	Basic Annual Cat Pkg: FVRCP + Rabies \$40.20		
Doggone Best Pkg: DAPP + Rabies + Bordetella + HW test \$86.05	Additional Cat Services/Packet		
Additional Dog Services/Packages	FVRCP (prevents common respiratory disease) \$26.00		
☐ Heartworm 4DX Test (heartworms/3 tick-borne diseases) \$50.80	☐ FeLV/FIV combo test (FIV and Felin		
☐ Heartworm Test <u>\$29.70</u>	PHONE # TO CALL IF POSITIVE:		
□ DAPP (distemper, hepatitis, parainfluenza, and parvo) \$30.25	Revolution Plus (topical medicine for t	fleas, heartworms, and ear mites)	
☐ Bordetella (prevents kennel cough) \$18.40	2.8-5.5 lbs: \$16.20		
☐ Unattached Dewclaw Removal \$33.50	CAT: Dewormer		
Umbilical Hernia Repair \$21.60	Pyrantel (roundworms/hookworms)	<6 mos: \$6.50  \square >6 mos: \$13.00	
Nexgard (oral medication for adult fleas and ticks)	Biwormer (roundworms/hookworms/tapeworms) \$16.20		
4-10 lbs: \$21.60	DOG: Dewormer		
**All heartworm prevention requires a yearly heartworm test**  Heartgard Plus (oral medication for heartworms)	Pyrantel (roundworms/hookworms)	] <6 mos: \$6.50 ☐ >6 mos: \$13.00	
□ 0-25 lbs: \$7.60 □ 26-50 lbs: \$9.20 □ 51-100 lbs: \$11.40	Triwormer (roundworm/hookworm/tapeworm/whipworm) ☐ \$10.80/tab  ☐ Cerenia Injection (per cc)(required if adult pet ate before surgery) \$33.50  Convenia Injection ☐ 0.10-0.25cc: \$11.44 ☐ 0.26-0.50cc: \$22.88		
Simparica Trio (all-in-one monthly oral chewable for heartworms, fleas, & ticks)			
☐ 2.8-5.5 lbs: \$24.90 ☐ 5.6-11 lbs: \$26.00 ☐ 11.1-22 lbs: \$27.00 ☐ 22.1-44 lbs: \$27.60 ☐ 44.1-88 lbs: \$28.45 ☐ 88.1-132 lbs: \$29.20			
22.1-44 IDS. <u>327.00</u> 44.1-00 IDS. <u>320.40</u> 00.1-132 IDS: <u>327.20</u>	0.51-0.75cc: <u>\$34.</u> :	31 0.76-1.00cc: \$45.75	
Four Char	<i>(</i> (1)		
☐ HR: ☐ RR: ☐ CRT: ☐ MM:	aff Use: ☐ Capstar given		
Auscultation of Heart/Lungs Normal Abnormal			
BCS/9 Staff Initials	☐ Evidence of previous spay/neuter (des	cribe):	
HW Test Results: Positive Negative	Votovinguy Sunga		
HW 4DX Results: HW Lym Erh Ana Negative	Veterinary Surgeon  ☐ Dr. Hopes ☐ Dr. Preczewski ☐ Extern	n:	
<u>FeLV:</u> Positive Negative <u>FIV:</u> Positive Negative	_		

Notes: Vax Stickers:



## SPAY/NEUTER DISCHARGE INSTRUCTIONS

IT IS CRITICAL THAT YOU FOLLOW THESE INSTRUCTIONS TO AVOID SERIOUS AND COSTLY POST-SURGICAL COMPLICATIONS.

#### DO NOT SCHEDULE SURGERY IF YOU ARE UNABLE TO COMPLY WITH THESE INSTRUCTIONS!

THE SAHS STRONGLY RECOMMENDS ESTABLISHING A REGULAR RELATIONSHIP WITH A FULL-SERVICE VETERINARY HOSPITAL TO MEET YOUR PET'S ONGOING HEALTH CARE AND DISEASE PREVENTION NEEDS.

#### POST-OP INSTRUCTIONS - PLEASE READ, INITIAL EACH LINE, AND SIGN

#### **INCISION SITE CARE:**

- Your pet has undergone a major surgery. The incision site has been closed and a **silver aerosol bandage** has been applied over the incision site. **Green tattoo ink** has been applied to the skin to identify that your pet has been spayed/neutered.
- We perform scrotal neuters. It is normal to see a slight opening of the incision and some tinged fluid post-operatively.
- Please keep the incision site clean, dry (no baths!), and unbandaged until healed.

#### **E-COLLARS:** Recommended for all surgical procedures!

REQUIRED for all pets with external sutures/staples and all dogs over 25 pounds. Please use a regular collar to
secure the cone once you have returned home. E-collars should fit snug around the neck (so you can only place two fingers
underneath) and extend several inches past the nose. These should be worn for a minimum of 7 - 10 days.

#### STRICT REST: Recommended after all surgical procedures (except ferals)!

- **DOGS:** We recommend dogs be confined to a kennel until the incision has healed. Dogs should be walked on a leash to use the restroom and not be allowed to run, jump, or play. DO NOT bathe your dog for 14 days post-surgery.
- CATS: Anesthesia may wear off slowly, so your pet may appear drowsy this evening, but they will become progressively more active and alert with time. Cats may sleep and wake up several times throughout the night and are often clumsy. Cats may hallucinate as anesthesia wears off and sounds, light, and touching may frighten them. They may growl or claw at invisible objects for up to 24 hours. Keep cats confined in their carriers this evening and make sure they are in a quiet place and avoid stress and stairs when possible. Some cats do best in quiet, dark places such as a bathroom (with the toilet lid down).

#### **APPETITE/RESTROOM HABITS**

- Your pet might not be interested in food tonight. Expect your pet to have an initial decrease in appetite which should return gradually within **24-48 hours following surgery.** Some pets experience residual nausea following anesthesia. Offer small amounts of water immediately after returning home, and then small amounts of food later in the day or the next morning. This also means a decrease in urine and bowel production for several days.
- One episode of vomiting or diarrhea can be normal after anesthesia. Multiple episodes of vomit/diarrhea with or
  without blood are NOT normal and usually NOT caused by the anesthesia. We recommend you see your
  regular veterinarian or an emergency clinic (if after hours) for any severe episodes of vomiting and/or diarrhea.
  The SAHS cannot treat these issues.

#### **FERTILITY POST-OP**

- Newly neutered males may remain marginally fertile and may breed for 3-4 weeks after surgery, so please keep them confined.
- Female pets that have surgery while in heat are especially delicate and must be kept separate from males (both neutered and unneutered) for 5 days after surgery. Some of these animals will continue to breed, potentially damaging their incision.

#### **RE-CHECK INFO**

Email concerns/photos to **medical@SAhumane.org**. If you are told to come in, recheck hours at our Leeu Naylor Medical Building are <u>Monday-Friday between 9am-1pm and Saturday between 8 am - 1 pm.</u>

Please note this email is only being monitored during routine business hours.

Seek emergency care for your pet if you are concerned and it is outside of routine business hours.

#### **MEDICATIONS**

#### TRAZODONE (anti-anxiety and mild sedative medication used in highly energetic dogs in postoperative period):

- Your pet has been prescribed Trazodone to help reduce their anxiety following their surgery. This medication is generally
  well-tolerated in dogs but some dogs can experience side effects including: aggressive food searching, sedation, nausea, and
  diarrhea. Please discontinue the medication and contact the SAHS or seek veterinary care if these signs develop. If your pet
  continues to be hyperactive with the medication, please contact the SAHS (medical@SAhumane.org) as the dose may need to
  be adjusted.
- Please administer according to the label instructions.

#### **CARPROFEN** (dogs only):

- An additional 3 days of pain control is recommended. This is a member of the class of drugs known as NSAIDs (non-steroidal anti-inflammatory drugs). Your dog has already been administered a 24-hour dose of this medication pre-operatively and does not need another dose until tomorrow morning. The most common side effects to watch for are stomach upset: vomiting, diarrhea, and/or appetite loss. This medication is to be given preferably with food. (Note: Small dogs may be prescribed a once daily dosage or meloxicam instead)
- Dose: 2.2mg/kg dose every 12 hours to start the morning following surgery has been prescribed. Administer according to instructions on the label(s). Note that you may be instructed to administer tablets from multiple bottles to achieve the total dose.

#### **ANTIBIOTICS**

If your pet has been administered an injectable antibiotic, the specific dose and type will appear on the following page. If your
pet has been prescribed oral antibiotics, follow all dosing instructions on the label. Antibiotics are generally well-tolerated, but
most common side effects include GI upset: vomiting, diarrhea, loss of appetite. We recommend giving this medication with
food to reduce chance of side effects.

#### **CAT-SPECIFIC MEDICATIONS**

- Cats receive a 24-hour injectable dose of an anti-inflammatory (Meloxicam) immediately following surgery.
- An additional pain medication of injectable Buprenorphine SR or transdermal Zorbium is also recommended for all cats
  undergoing surgery at an additional cost.
  - Buprenorphine SR is an injectable opioid given immediately following surgery that lasts for approximately 72 hours.
  - Zorbium (Buprenorphine) is a transdermal opioid that delivers four days of reliable pain relief from a single in-clinic dose. This medication is applied to the skin at the back of the head.

#### **EXTERNAL SKIN SUTURES**

Signature of Owner or Owner's Agent

- Your pet may have received external skin sutures or staples if surgery required a larger incision or if there are concerns about your pet's post-operative activity level (too active).
- If your pet received staples or external skin sutures, please return in 10-14 days for staple/suture removal.
- If your pet had a drain placed during surgery (scrotal ablation), please return in 3 days for recheck and drain removal.

I hereby acknowledge that I have read and understand these post-operative instructions. I agree that any lack of
adherence to these can result in complications and I hereby assume financial responsibility. I acknowledge that additional
pain medication, e-collar, and strict rest have been recommended and failure to comply may put my pet at risk. Failure to
follow these instructions may result in a recheck exam fee, additional procedures, and additional medications.

Today's Date

#### HUMANE SOCIETY

## **POST-OPERATIVE CONCERNS?**

# If you have any post-operative concerns, email our Medical Front Desk (medical@SAhumane.org)

Please include a clear photo of your pet's incision and answers to the following questions:

- When did your pet have surgery?
- Has your pet been wearing an e-collar?
- Has your pet been allowed to lick at the incision?
- Has your pet been allowed to exercise since surgery?
- Has your pet been eating/drinking/urinating/defecating normally?
- Have you noticed any discharge/bruising/swelling/bleeding from the incision?
- Have you noticed that the incision is open?

Our medical front desk staff will send a reply as soon as possible.

Please note that this email is only monitored during regular business hours! If there is an emergency, please seek veterinary care immediately.

If medical front desk staff is unable to answer your email, they will forward it to a staff veterinarian who will contact you.

If the veterinarian recommends you return for a recheck, please go to the directed facility (not necessarily where your pet had their surgery). An appointment is not required for rechecks.

#### **SAHS Leeu Naylor Medical Building**

4804 Fredericksburg Rd. San Antonio, TX 78229

#### **Recheck Hours**

9 am - 1 pm Monday-Friday 8 am - 1 pm Saturdays (expect wait due to Wellness Clinics)