

POST-OPERATIVE INSTRUCTIONS

Signature	
instructions may result in a recheck exam fee, additional procedure	s, and additional medications.
I hereby acknowledge that I have read and understand these post- these can result in complications and I hereby assume financial resp e-collar, and strict rest have all been recommended and failure to c	onsibility. I acknowledge that additional pain medication,
One episode of vomiting or diarrhea can be normal after anest blood are not normal and usually not caused by anesthe emergency clinic (if after hours) for any severe episodes of vo	
al days. This is a permanent sign that your pet has been spaye their left ear "tipped".	n near the incision, as per SAHS policy. It will be prominent for sever-d/neutered, should they get lost. Feral cats receive a tattoo and have
Unless you are told otherwise, sutures are absorbable and do n will be informed and this will be noted in your paperwork. These a photo of the incision to schedule your removal.	ot need to be removed. If your pet has external sutures or staples, you e can be removed 7-10 days from surgery. Please email us with
silver on your pet's nose/face, or if the silver is missing from the	er aerosol bandage, has been sprayed on the incision. If you see incision, they have been licking! If you see more than a few drops ag or redness, please email medical@SAhumane.org. If this is the additional charge.
	crated and only be taken out on a leash. Cats should be kept inside this rule and may be released the next day. Complications can occur erly active.
We strongly recommend all pets wear an e-collar after and be snug enough to not slide off their head. If you purchase E-collars must be worn at all times without exception.	surgery! The collar should extend 2 inches beyond your pet's nose an e-collar from us, ask if you need help placing it on your pet.
No baths or swimming for 10 days. Moisture (from bathing Please keep the incision clean and dry.	or licking) will cause the sutures to dissolve and promote infection.
A 24-hour dose of pain medication was given at the time of surg Do not give human pain medication! These are deadly to	er. <u>We strongly recommend all pets get additional pain control.</u> pets!
	ount of food tonight. If no vomiting occurs after 1 hour, you may offer after anesthesia, as this causes vomiting. You may resume normal
pet alone for the next 12-24 hours until the anesthesia wears of them to a small room or crate.	. If you must leave them for a short period, we recommend confining
Your pet may be unsteady or groggy tonight. This is normal after	r anesthesia. Please restrict activity and please do not leave your



POST-OPERATIVE CONCERNS?

If you have any post-operative concerns, email our Medical Front Desk (medical@SAhumane.org)

Please include a clear photo of your pet's incision and answers to the following questions:

- When did your pet have surgery?
- Has your pet been wearing an e-collar?
- · Has your pet been allowed to lick at the incision?
- Has your pet been allowed to exercise since surgery?
- Has your pet been eating/drinking/urinating/defecating normally?
- Have you noticed any discharge/bruising/swelling/bleeding from the incision?
- Have you noticed that the incision is open?

Our medical front desk staff will send a reply as soon as possible.

Please note that this email is only monitored during regular business hours! If there is an emergency, please seek veterinary care immediately.

If medical front desk staff is unable to answer your email, they will forward it to a staff veterinarian who will contact you.

If the veterinarian recommends you return for a recheck, please go to the directed facility (not necessarily where your pet had their surgery). An appointment is not required for rechecks.

SAHS Leeu Naylor Medical Building

4804 Fredericksburg Rd. San Antonio, TX 78229

Recheck Hours

9 am - 1 pm Monday-Friday

Recommended ER Clinic

Animal ER

4315 Fredericksburg Rd. | 210-737-7380

We do not refund any care provided outside the SAHS