

SPAY/NEUTER SURGERY CHECK-IN FORM

PATIENT INFORMATION

OWNER INFORMATION

atient Name		Owner Name			
OOG CAT N	MALE FEMALE	Street Address			
ge	Color	City	State		
reed		Email Address			
ip Code		Home Phone #			
taff Confirmed		Cell Phone #			
as your pet had su	rgery before? If yes, please explain:	ALTERNATE PICK-U			
/hat time did your AM		Alternate Pick-Up Person P	hone #		
as your pet vomited or had diarrhea a the past 24 hours? YES NO oes your pet have any		IF WE CANNOT R OR CONCERNS	** PLEASE FILL OUT ALL OF THE INFORMATION ABOVE! ** IF WE CANNOT REACH YOU FOR QUESTIONS OR CONCERNS, THE VET MAY ELECT TO NOT PERFORM THE SURGERY.		
nedical problems?	If yes, please explain:	STAFF USE ONLY			
oes your pet take o	any medications? If yes, please list:				
s your pet pregnant ossibly be pregnar					

SPAY/NEUTER ADMISSION MEDICAL CONSENT FORM

PLEASE READ, INITIAL EACH LINE, AND SIGN

 I understand that I have given consent for the veterinarians and directly supervised veterinary externs of the SAHS to perform the scheduled surgical procedure.
 I understand that the operation I have elected presents some hazards, and that injury to, post-operative infection in, or death of, the animal may conceivably result, for there is some inherent risk in the procedure and in the use of anesthetics and drugs provided for the procedure, as well as in any vaccines used. I understand that the general anesthesia will be administered to the animal for surgery. I understand and accept these risks to the animal.
 I understand that a pre-surgical exam will be performed on the animal when possible, but that there are times, in the attending veterinarian's sole discretion, when such an exam may only be performed after the animal has already been anesthetized. I understand that the animal will not receive pre-operative blood work at the SAHS. If I choose to run such blood work, I understand that it must be performed at a full-service veterinary clinic.
I understand the inherent risks of failing to maintain current vaccinations and that no vaccination is always 100% protective. I waive all claims arising out of, or connected with, any illnesses contracted post-surgery including, but not limited to kennel cough or other upper respiratory infections and am responsible for treatment at my own cost.
I understand that my pet will be vaccinated for rabies as per Texas Health and Safety Code Sec. 826.021 if no proof of rabies vaccination is provided prior to surgery. This vaccine will be at an additional cost to surgery.
l understand that if my animal has fleas, it will be administered Capstar (a fast-acting flea medication that kills fleas within 30 minutes of administration) at my expense.
I understand that if my male dog has long hair, the underside of the tail will be shaved to help prevent complications.
 l understand that procedures requiring additional surgical time will incur additional fees (pregnant, cryptorchid, pyometra, obesity, - previous abdominal surgeries, unattached dewclaw removal). These fees apply to all clients, including recipients of free or reduced-cost surgeries.
I understand that if my animal is pregnant, the pregnancy will be terminated at the time of surgery. I understand that there will be additional fees for this procedure. These fees apply to all clients, including recipients of free or reduced-cost surgeries.
 I understand that the SAHS and/or any SAHS party has the right to refuse any service and/or procedure to any animal for any - reason. Including, but not limited to, situations where surgery is deemed a health risk. Such refusal is at the sole discretion of the attending veterinarian.
. I understand that the SAHS recommends e-collars and exercise restriction for all surgical procedures (except ferals).
I authorize the doctors and staff to perform any lifesaving procedure deemed necessary in the event of an emergency. I further understand that the success of any lifesaving procedure is not guaranteed.
. I understand that my pet will have a green tattoo mark placed on the surface of their skin to designate that he/she has been altered.
I understand that any cat designated as a feral cat will also have their ear "tipped".
I understand that the SAHS will not refund any veterinary clinic or emergency vet clinic visits after my pet's surgery.
I understand that prices are subject to change based on the price of goods and services.
I hereby release the SAHS and its employees and volunteers from all claims arising out of or connected with the performance - of this procedure.
 I agree that I have not and will not claim any right of compensation from the SAHS and its employees and volunteers, or file action due to such sterilization or any consequences related thereto. I certify that I have read and understand this document and assume full financial responsibility for all charges related to the above procedures.
I understand that if I cannot comply with the post-operative instructions, surgery should not be performed.
I understand that any pets dropped off late (after 8:30 am) or picked up late (after 5 pm) will incur a Late Pick-Up Fee. . Failure to pick up your pet the day of surgery will also result in a fee.
I understand that if my pet experiences nausea or vomiting during the surgical process, my pet will be administered cerenia, . an anti-nausea injection, and I will be responsible for this additional charge.
 ZIP CODE GRANT PARTICIPANTS: I understand that if my pet experiences complications after pre-medication or induction, the • veterinarians may elect not to perform surgery. If my pet is sedated or induced but does not receive surgery, their services do not qualify under the zip code grant, and I will be charged a \$15 fee to cover the costs of medications. All vaccinations (including required rabies) will also result in a fee.

Patient Name:	STAFF USE ONLY					
Certificate Code:	Animal ID:	Actual Weight:				
OTHER SERVICES/PRODUCTS						
Surgery (Please Confirm)	Dog	Cat				
□ Neuter (for males) □ Spay (for females)	□ H/B: □ A:	□ TTDEX: □ M:				
🔲 Inguinal Crypt 🔲 Gravid 🛛 🗌 Scrotal Ablation	□ T: □ C/M:	□ B: □ A:				
Abdominal Crypt 🛛 Pyometra 🔲 Obese	Comfort					
Microchip *highly recommended* Nail Trim	Canine Comfort Package (e-collar + p	ain medication) <u>\$29.50 plus tax</u>				
☐ Yes <u>\$43.00</u> ☐ No ☐ Yes <u>\$22.00</u>	Canine Pain Medication only <u>\$16.50</u>					
□ Rescue Placement <u>\$3.00</u> □ No	Feline Comfort Package (e-collar + pain medication) <u>\$21.95 plus tax</u>					
Rabies Vaccine *required if no proof of vaccine*	Eline Pain Medication only <u>\$17.00</u>	_				
Needs today <u>\$16.50</u> Too Young (under 12 weeks)	E-collar only <u>\$16.50 plus tax</u>	Decline Comfort Package				
Current/Verified Staff Initials	Trazodone (calming med) <u>\$0.40/pi</u>	📗 🔲 Decline Trazodone				
	Trazodone for dogs only					
ALL PUPPY & KITTEN PACKAGES ARE FOR PETS 6 MONTHS OLD AND UNDER!						
Dog Services	Cat Services					
<u>Wellness Packages</u>	Wellness Packages					
Puppy Pkg: DAPP + nail trim + dewormer + sample <u>\$56.00</u> heartworm prevention + sample flea prevention (while supplies last)	Kitten Pkg: FVRCP + nail trim + dewormer + sample \$51.50 heartworm prevention + sample flea prevention (while supplies last)					
Puppy Booster Pkg: DAPP + nail trim + dewormer <u>\$55.50</u>	Kitten Booster Pkg: FVRCP + nail trim + dewormer <u>\$50.50</u>					
(must have had 1st vaccine at a SAHS Wellness Clinic; 1x only) Basic Annual Dog Pkg: DAPP + Rabies <u>\$44.50</u>	Basic Annual Cat Pkg: FVRCP + Rabies <u>\$40.00</u>					
Doggone Best Pkg: DAPP + Rabies + Bordetella + HW test <u>\$91.50</u>	Additional Cat Services/Packages					
Additional Dog Services	FVRCP (prevents common respiratory disease) <u>\$28.00</u>					
Heartworm 4DX Test (heartworms/3 tick-borne diseases) <u>\$55.00</u>	FeLV/FIV Combo Test (FIV and Feline Leukemia test) <u>\$46.00</u>					
Heartworm Test <u>\$32.00</u>	PHONE # TO CALL IF POSITIVE:					
DAPP (distemper, hepatitis, parainfluenza, and parvo) \$33.00	Revolution Plus (topical medicine for fleas, heartworms, and ear mites)					
Bordetella (prevents kennel cough) <u>\$20.00</u>	2.8-5.5 lbs: <u>\$17.50</u> 5.6-11 lbs: <u>\$20.00</u>	11.1-22 lbs: <u>\$21.00</u>				
Unattached Dewclaw Removal \$36.50/paw	CAT: Dewormer					
Umbilical Hernia Repair <u>\$23.50</u>	Pyrantel (roundworms/hookworms) ☐ <6 mos: <u>\$7.00</u> ☐ >6 mos: <u>\$14.50</u>					
Nexgard (oral medication for adult fleas and ticks)	Triwormer (roundworms/hookworms/tapeworms)					
4-10 lbs: \$23.50 10.1-24 lbs: \$25.00 24.1-60 lbs: \$26.00 60.1-121 lbs: \$27.00	DOG: Dewormer					
All heartworm prevention requires a yearly heartworm test	Pyrantel (roundworms/hookworms) 🔲 <6	mos: <u>\$7.00</u> 🔲 >6 mos: <u>\$14.50</u>				
Heartgard Plus (oral medication for heartworms) 0-25 lbs: \$8.50 26-50 lbs: \$10.00 51-100 lbs: \$12.50	Triwormer (roundworm/hookworm/tapeworm/whipworm)					
Simparica Trio (all-in-one monthly oral chewable for heartworms, fleas, & ticks)	Cerenia Injection (per cc)(required if adult pet ate before surgery) \$36.25					
2.8-5.5 lbs: <u>\$27.00</u> 5.6-11lbs: <u>\$28.00</u> 11.1-22 lbs: <u>\$27.00</u>	Convenia Injection 0.10-0.25cc: <u>\$12.50</u> 0.26-0.50cc: <u>\$25.00</u>					
22.1-44 lbs: <u>\$30.00</u> 44.1-88 lbs: <u>\$31.00</u> 88.1-132 lbs: <u>\$31.50</u>	-	37.25 0.76-1.00cc: <u>\$49.25</u>				
FOR ST	AFF USF					
FOR STAFF USE HR: RR: CRT: MM: Capstar given Nail Trim Neuter						
Auscultation of Heart/Lungs 🗌 Normal 🗌 Abnormal						
BCS/9 Staff Initials	Evidence of previous spay/neuter (descri	be):				
HW Test Results: Positive Negative	Veterinary Surgeon					
HW 4DX Results: HW Lym Erh Ana Negative	Dr. Hopes Other:					
<u>FeLV:</u> Positive Negative <u>FIV:</u> Positive Negative						

SPAY/NEUTER DISCHARGE INSTRUCTIONS

IT IS **CRITICAL** THAT YOU FOLLOW THESE INSTRUCTIONS TO AVOID SERIOUS AND COSTLY POST-SURGICAL COMPLICATIONS.

DO NOT SCHEDULE SURGERY IF YOU ARE UNABLE TO COMPLY WITH THESE INSTRUCTIONS!

THE SAHS STRONGLY RECOMMENDS ESTABLISHING A REGULAR RELATIONSHIP WITH A FULL-SERVICE VETERINARY HOSPITAL TO MEET YOUR PET'S ONGOING HEALTH CARE AND DISEASE PREVENTION NEEDS.

POST-OP INSTRUCTIONS - PLEASE READ, INITIAL EACH LINE, AND SIGN

INCISION SITE CARE:

HUMANE

SOCIET

- Your pet has undergone a major surgery. The incision site has been closed and a **silver aerosol bandage** has been applied over the incision site. **Green tattoo ink** has been applied to the skin to identify that your pet has been spayed/neutered.
- We perform scrotal neuters. It is normal to see a slight opening of the incision and some tinged fluid post-operatively.
- Please keep the incision site clean, dry (no baths!), and unbandaged until healed.
- _____ E-COLLARS: Recommended for all surgical procedures!
 - REQUIRED for all pets with external sutures/staples and all dogs over 25 pounds. Please use a regular collar to secure the cone
 once you have returned home. E-collars should fit snug around the neck (so you can only place two fingers underneath) and
 extend several inches past the nose. These should be worn for a minimum of 7 10 days.

STRICT REST: Recommended after all surgical procedures (except ferals)!

- **DOGS:** We recommend dogs be confined to a kennel until the incision has healed. Dogs should be walked on a leash to use the restroom and not be allowed to run, jump, or play. DO NOT bathe your dog for 14 days post-surgery.
- **CATS:** Anesthesia may wear off slowly, so your pet may appear drowsy this evening, but they will become progressively more active and alert with time. Cats may sleep and wake up several times throughout the night and are often clumsy. Cats may hallucinate as anesthesia wears off and sounds, light, and touching may frighten them. They may growl or claw at invisible objects for up to 24 hours. Keep cats confined in their carriers this evening and make sure they are in a quiet place and avoid stress and stairs when possible. Some cats do best in quiet, dark places such as a bathroom (with the toilet lid down).

APPETITE/RESTROOM HABITS

- Your pet might not be interested in food tonight. Expect your pet to have an initial decrease in appetite which should return gradually within **24-48 hours following surgery.** Some pets experience residual nausea following anesthesia. Offer small amounts of water immediately after returning home, and then small amounts of food later in the day or the next morning. This also means a decrease in urine and bowel production for several days.
- One episode of vomiting or diarrhea can be normal after anesthesia. Multiple episodes of vomit/diarrhea with or without blood are NOT normal and usually NOT caused by the anesthesia. We recommend you see your regular veterinarian or an emergency clinic (if after hours) for any severe episodes of vomiting and/or diarrhea. The SAHS cannot treat these issues.

FERTILITY POST-OP

- Newly neutered males may remain marginally fertile and may breed for 3-4 weeks after surgery, so please keep them confined.
- Female pets that have surgery while in heat are especially delicate and must be kept separate from males (both neutered and unneutered) for 5 days after surgery. Some of these animals will continue to breed, potentially damaging their incision.

RE-CHECK INFO

Email concerns/photos to **medical@SAhumane.org**. If you are told to come in, recheck hours at our Leeu Naylor Medical Building are <u>Monday-Friday between 9am-1pm</u>.

Please note this email is only being monitored during routine business hours. Seek emergency care for your pet if you are concerned and it is outside of routine business hours.

MEDICATIONS

TRAZODONE (anti-anxiety and mild sedative medication used in highly energetic dogs in postoperative period):

- Your pet has been prescribed Trazodone to help reduce their anxiety following their surgery. This medication is generally well-tolerated in dogs but some dogs can experience side effects including: aggressive food searching, sedation, nausea, and diarrhea. Please discontinue the medication and contact the SAHS or seek veterinary care if these signs develop. If your pet continues to be hyperactive with the medication, please contact the SAHS (medical@SAhumane.org) as the dose may need to be adjusted.
- Please administer according to the label instructions.

CARPROFEN (dogs only):

- An additional 3 days of pain control is recommended. This is a member of the class of drugs known as NSAIDs (non-steroidal anti-inflammatory drugs). Your dog has already been administered a 24-hour dose of this medication pre-operatively and does not need another dose until tomorrow morning. The most common side effects to watch for are stomach upset: vomiting, diarrhea, and/or appetite loss. This medication is to be given preferably with food. (Note: Small dogs may be prescribed a once daily dosage or meloxicam instead)
- Dose: 2.2mg/kg dose every 12 hours to start the morning following surgery has been prescribed. Administer according to instructions on the label(s). Note that you may be instructed to administer tablets from multiple bottles to achieve the total dose.

ANTIBIOTICS

• If your pet has been administered an injectable antibiotic, the specific dose and type will appear on the following page. If your pet has been prescribed oral antibiotics, follow all dosing instructions on the label. Antibiotics are generally well-tolerated, but most common side effects include GI upset: vomiting, diarrhea, loss of appetite. We recommend giving this medication with food to reduce chance of side effects.

CAT-SPECIFIC MEDICATIONS

- Cats receive a 24-hour injectable dose of an anti-inflammatory (Meloxicam) immediately following surgery.
 - An additional pain medication of injectable Buprenorphine SR or transdermal Zorbium is also recommended for all cats undergoing surgery at an additional cost.
 - Buprenorphine SR is an injectable opioid given immediately following surgery that lasts for approximately 72 hours.
 - Zorbium (Buprenorphine) is a transdermal opioid that delivers four days of reliable pain relief from a single in-clinic dose. This medication is applied to the skin at the back of the head.

EXTERNAL SKIN SUTURES

- Your pet may have received external skin sutures or staples if surgery required a larger incision or if there are concerns about your pet's post-operative activity level (too active).
- If your pet received staples or external skin sutures, please return in 10-14 days for staple/suture removal.
- If your pet had a drain placed during surgery (scrotal ablation), please return in 3 days for recheck and drain removal.

I hereby acknowledge that I have read and understand these post-operative instructions. I agree that any lack of adherence to these can result in complications and I hereby assume financial responsibility. I acknowledge that additional pain medication, e-collar, and strict rest have been recommended and failure to comply may put my pet at risk. Failure to follow these instructions may result in a recheck exam fee, additional procedures, and additional medications.

Signature of Owner or Owner's Agent

Today's Date



POST-OPERATIVE CONCERNS?

If you have any post-operative concerns, email our Medical Front Desk (medical@SAhumane.org)

Please include a clear photo of your pet's incision and answers to the following questions:

- When did your pet have surgery?
- Has your pet been wearing an e-collar?
- Has your pet been allowed to lick at the incision?
- Has your pet been allowed to exercise since surgery?
- Has your pet been eating/drinking/urinating/defecating normally?
- Have you noticed any discharge/bruising/swelling/bleeding from the incision?
- Have you noticed that the incision is open?

Our medical front desk staff will send a reply as soon as possible.

Please note that this email is only monitored during regular business hours! If there is an emergency, please seek veterinary care immediately.

If medical front desk staff is unable to answer your email, they will forward it to a staff veterinarian who will contact you.

If the veterinarian recommends you return for a recheck, please return to our Leeu Naylor Medical Building. *An appointment is not required for rechecks.*

SAHS Leeu Naylor Medical Building

4804 Fredericksburg Rd. San Antonio, TX 78229 **Recheck Hours** 9 am - 1 pm Monday-Friday